

Joint Source Channel Decoding



Joint Source Channel Decoding

JOINT SOURCE AND CHANNEL CODING FOR H.264 COMPLIANT STEREOSCOPIC VIDEO TRANSMISSION P.Y. Yip, J.A. Malcolm W.A.C. Fernando, K.K. Loo, H. Kodikara Arachchi School of ...

Joint source and channel coding for h.264 compliant ...

4230 IEEE TRANSACTIONS ON SIGNAL PROCESSING, VOL. 56, NO. 9, SEPTEMBER 2008 Joint Data Detection and Channel Tracking for OFDM Systems With Phase Noise Stelios Stefanatos and Aggelos K. Katsaggelos, Fellow, IEEE Abstract—This paper addresses the problem of data detection becomes quickly outdated, thus, resulting in severe performance in orthogonal frequency division multiplexing (OFDM ...

(PDF) Joint data detection and channel tracking for OFDM ...

Distributed source coding (DSC) is an important problem in information theory and communication. DSC problems regard the compression of multiple correlated information sources that do not communicate with each other. By modeling the correlation between multiple sources at the decoder side together with channel codes, DSC is able to shift the computational complexity from encoder side to decoder ...

Distributed source coding - Wikipedia

JPEG (/ ˈ dʒ eɪ p ɛ g / JAY-peg) is a commonly used method of lossy compression for digital images, particularly for those images produced by digital photography. The degree of compression can be adjusted, allowing a selectable tradeoff between storage size and image quality. JPEG typically achieves 10:1 compression with little perceptible loss in image quality.

JPEG - Wikipedia

max_pixels integer (decoding/encoding,video). Maximum number of pixels per image. This value can be used to avoid out of memory failures due to large images. apply_cropping bool (decoding,video). Enable cropping if cropping parameters are multiples of the required alignment for the left and top parameters.

FFmpeg Codecs Documentation

FFMPEG updated to v1.1.4 Use FFMPEG for AAC decoding (should be less crashes because faad bugs). SPDIF/AC3 encoder: encode 5.1 with back channels (used by flac for instance) like 5.1 with side channels (standard for ac3).

Download AC3Filter - AC3Filter

Added new tab to preferences dialog which allows the user to configure the Dynamic Range Compression for AC-3 and E-AC-3 decoding. Add a new preferences option to control the default export/save location for media or flags files.

Multiformat video player, inspection and conversion tool ...

annals of communications The New Yorker - February 7, 1994. john malone: flying solo. John Malone, who engineered the merger between his TCI and Bell Atlantic, is the pioneering cable titan whom Al Gore once called Darth Vader.

Ken Auletta :: Articles - John Malone: Flying Solo

For example, "the foo attribute's value must be a valid integer" is a requirement on producers, as it lays out the allowed values; in contrast, the requirement "the foo attribute's value must be parsed using the rules for parsing integers" is a requirement on consumers, as it describes how to process the content.

HTML Standard - WHATWG

Support for some of these formats require additional programs or libraries. See README in the source package for where to find optional additional software.. Note, a format delineated with + means that if more than one image is specified, frames are combined into a single multi-image file.

Use +adjoin if you want a single image produced for each frame. ...

GraphicsMagick GM Utility

ZDNet's technology experts deliver the best tech news and analysis on the latest issues and events in IT for business technology professionals, IT managers and tech-savvy business people.

Blogs | ZDNet

Introduction. Welcome to Pupil - the open source head mounted mobile eye tracking platform. If this is the first time hearing about the Pupil project we recommend you visit the Pupil Labs website.. This wiki is the main source of documentation for the Pupil users getting started with their Pupil headset and developers contributing to code.

Pupil Docs - master

There are three output files specified, and for the first two, no -map options are set, so ffmpeg will select streams for these two files automatically.. out1.mkv is a Matroska container file and accepts video, audio and subtitle streams, so ffmpeg will try to select one of each type. For video, it will select stream 0 from B.mp4, which has the highest resolution among all the input video streams.

ffmpeg Documentation

Internet resource discovery toolkit listing search engines, internet sources, search engines, web sites, libraries, online commercial information vendors and general search tools for online research written in support of the International Open Source Intelligence Course, for military and political analysts.

[instrumentos de medici n en electr nic by source: wikipedia](#), [guidance for governance comparing alternative sources of public policy advice](#), [decouverte des sources du senegal et de la gambie en](#), [overcoming difficult behaviour a guide and sourcebook for helping people](#), [where the rivers meet pipelines participatory resource management and aboriginal](#), [mba abignment human resource management by manfred damsch](#), [managing digital resources in libraries acquisitions librarian monographic separates](#), [ctfa international regulatory resource manual](#), [channel guide direct tv](#)